





**TOMMER**  
OEM PROFESSIONAL | **TOOLS**  
HAMMERS & AXES  
**CATALOGUE**



# About Us



## TOMMER

Linyi tasike hardware & tools co., ltd. factory occupies 4600 square meters land area and 2400 square meters floor area, 70 proficient employees and 10 engineers . fixed assets usd three million ,and annual producing value more than usd forty million .

We are one of the largest manufacture for hammer,axe, fiberglass and plastic handle for handtools ,some products got tuv-gs certificate.we also selling all kinds of tools like wrecking bar,chisel,bolt cutter,pipe wrench,scraper,trowel,fork,etc. our products are sold well in more than 30 countries in europe,america,middle east and asia .

We hope to establish long-term cooperation relationship with our customers in the future with best products and service .

NORTH OF 327 COUNTRY ROAD,LINSHU,LINYI,SHANDONG,CHINA

TEL:0086-13563944278 0086-13287151237

Email:Teresa@tommer.com Sales@tommer.cn

WEB:Www.tommer.com



# I N D E X

DESC.	PAGE
MACHINIST HAMMER	1
STONING HAMMER	4
ROOFING HAMMER	6
MASON'S HAMMER	7
CLAW HAMMER	9
SLEDGE HAMMER	12
BALLPEIN HAMMER	13
RUBBER MALLET	14
A X E	15
SPLITTING MAUL	18
P I C K A X E	19
C H I S E L	20
WRECKING BAR	21

German type machinist hammer



TMH001



TMH002



TMH002A



TMH003



TMH004

**DIN  
1041  
Spec.**

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
100g	120	49X31X24	20	260
200g	120	55X33X28	33	280
300g	60	59X36X17	28	300
400g	60	61X37X19	30	310
500g	48	53X38X20	28	320
600g	36	42X39X21	26	330
800g	24	42X30X23	22	350
1000g	24	43X30X25	30	360
1500g	12	46X32X15	21	380
2000g	12	50X34X17	27	400

-Head material:Carbon 45 forged steel  
 -Head surface:  
 matt finish/polished/spray plastic  
 -Working face hardness:HRC50-56  
 -Handle:Hardwood/Beech/Ash/Hickory  
 -Handle moisture content:< 12%  
 -Assembly mode:wedge/wedge+glue

German type machinist hammer



TMH005

**DIN  
1042  
Spec.**

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
3000g	6	69X18X21	21	600
4000g	4	79X20X16	20	700
5000g	4	90X21X17	23	800
6000g	4	90X22X18	27	800
8000g	2	100X23X10	18	900
10000g	2	101X24X10	22	900

-Head material:Carbon 45 forged steel  
 -Head surface:  
 matt finish/polished/spray plastic  
 -Working face hardness:HRC50-56  
 -Handle:Hardwood/Beech/Ash/Hickory  
 -Handle moisture content:< 12%  
 -Assembly mode:wedge/wedge+glue

German type machinist hammer



TMH006



TMH006A

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
600g	24	58X28X16	24
800g	24	60X29X16	30

-Head material:Carbon 45 forged steel  
 -Head surface:  
 matt finish/polished/spray plastic  
 -Working face hardness:HRC50-56  
 -Handle:forged steel and dual color grip

German type machinist hammer

**DIN 1041 Spec.**



TMH007



TMH008



TMH009



TMH010



TMH011



TMH012



TMH013



TMH014



TMH015



TMH016

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
100g	96	42X33X32	24	260
200g	72	46X33X24	27	280
300g	48	50X36X19	23	300
400g	36	39X36X19	21	310
500g	36	42X40X19	27	320
600g	24	40X29X21	21	330
800g	24	43X31X23	26	350
1000g	24	43X32X25	31	360
1500g	12	50X34X15	22	380
2000g	12	49X36X16	31	390

- Head material:Carbon 45 forged steel
- Head surface:  
matt finish/polished/spray plastic
- Working face hardness:HRC50-56
- Handle:Fiberglass handle
- Assembly mode:epoxide-resin glue

German type machinist hammer



TMH017



TMH018



TMH019

**DIN 1042 Spec.**

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
3000g	6	89X18X21	26	800
4000g	4	99X19X16	22	800
5000g	4	101X21X17	26	900
6000g	4	101X21X18	29	900
8000g	2	101X23X10	19	900
10000g	2	102X24X10	23	900

- Head material:Carbon 45 forged steel
- Head surface:  
matt finish/polished/spray plastic/sand blasted
- Working face hardness:HRC50-56
- Handle:Fiberglass handle
- Assembly mode:epoxide-resin glue

German type stoning hammer



TST001



TST002



TST003




TST004



TST005



TST006



**DIN  
6475  
Spec.**

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
800g	24	44X32X14	24	260
1000g	24	46X33X14	29	260
1250g	12	33X22X15	18	260
1500g	12	36X27X16	21	280
2000g	12	38X28X17	27	280
3000g	6	69X16X19	23	600
4000g	4	79X16X14	20	700
5000g	4	89X18X16	25	800
6000g	2	100X17X8	15	800
8000g	2	100X19X10	19	900
10000g	2	102X24X10	23	900

-Head material:Carbon 45 forged steel

-Head surface:


matt finish/polished/spray plastic

-Working face hardness:HRC50-56

-Handle:Hardwood/Beech/Ash/Hickory

-Handle moisture content:< 12%

-Assembly mode:wedge/wedge+glue



German type stoning hammer



TST007



TST008



TST009



TST010



TST011



TST012



TST013



TST014

**DIN  
6475  
Spec.**

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
800g	24	46X34X13	25	260
1000g	24	50X35X14	31	260
1250g	12	34X25X15	19	260
1500g	12	38X27X16	22	280
2000g	12	39X29X17	28	280
3000g	6	89X18X21	26	800
4000g	4	99X19X16	22	800
5000g	4	101X21X17	26	900
6000g	4	101X21X18	29	900
8000g	2	101X23X10	19	900
10000g	2	102X24X10	23	900

- Head material:Carbon 45 forged steel
- Head surface:  
matt finish/polished/spray plastic/sand blastered
- Working face hardness:HRC50-56
- Handle:Fiberglass handle
- Assembly mode:epoxide-resin glue

Stoning hammer one piece forged



TST015

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
2LB	24	31X30X20	26	260
2.5LB	24	37X30X21	29	260

Roofing hammer



TRO001



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	39X38X20	20	330

- Head material:Carbon 45 forged steel
- Head surface:matt finish/polished
- Working face hardness:HRC50-56
- Handle:Steel tubular+rubber/Dual color TPR grip
- Assembly mode:Pin+glue
- With grid and magnet
- Assembly mode:Pin+glue

Roofing hammer



TRO004



TRO005




Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	40X38X23	24	330

- Head material:Carbon 45 forged steel
- Head surface:Polished
- Working face hardness:HRC50-56
- Handle:One piece forged +dual color TPR grip
- With grid and magnet

Roofing hammer



TRO002



TRO003



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	40X36X21	24	330

- Head material:Carbon 45 forged steel
- Head surface:matt finish/polished
- Working face hardness:HRC50-56
- Handle:Fiberglass handle
- With grid and magnet
- Assembly mode:epoxide-resin glue

Manson's hammer type B



TMS001



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	47X36X23	22	280/330

- Head material:Carbon 45 forged steel
- Head surface:matt finish/polished
- Working face hardness:HRC50-56
- Handle:Steel tubular+rubber/Dual color TPR grip
- Assembly mode:Pin+glue

Mason's hammer type B



TMS002

TMS003



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	47X36X23	24	330

- Head material:Carbon 45 forged steel
- Head surface:matt finish/polished
- Working face hardness:HRC50-56
- Handle:Fiberglass handle
- With grid and magnet
- Assembly mode:epoxide-resin glue

Mason's hammer type R



TMS005

TMS006



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	36X34X22	22	280/330

- Head material:Carbon 45 forged steel
- Head surface:matt finish/polished
- Working face hardness:HRC50-56
- Handle:Steel tubular+rubber/Dual color TPR grip
- Assembly mode:Pin+glue

Mason's hammer type B



TMS004



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	47X36X23	26	330

- Head material:Carbon 45 forged steel
- Head surface:Polished
- Working face hardness:HRC50-56
- Handle:One piece forged +dual color TPR grip
- With grid

Mason's hammer type R



TMS007



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	36X34X22	26	330

- Head material:Carbon 45 forged steel
- Head surface:Polished
- Working face hardness:HRC50-56
- Handle:One piece forged +dual color TPR grip
- With grid

Mason's hammer



TMS008

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	39X30X30	17	370

- Head material:Carbon 45 forged steel
- Head surface:Matt finish
- Working face hardness:HRC50-56
- Handle:Hardwood/Beech/Ash/Hickory
- Handle moisture content:< 12%
- Assembly mode:Reversed handle



Multipurpose axe



TMT001



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	41X40X18	24	330

- Head material:Carbon 45 forged steel
- Head surface:matt finish/polished
- Working face hardness:HRC50-56
- Handle:steel tubular+rubber/Dual color TPR grip
- Assembly mode:Pin+glue

Multipurpose axe



TMT002



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	41X40X20	26	330

- Head material:Carbon 45 forged steel
- Head surface:matt finish/polished
- Working face hardness:HRC50-56
- Handle:steel tubular+rubber/Dual color TPR grip

American type claw hammer



TCL001



TCL002



TCL003



TCL004

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
8oz	60	67X36X18	25	285
12oz	48	46X34X18	21	315
16oz	36	39X29X30	26	330
20oz	36	39X29X33	27	330
24oz	24	46X35X27	24	400

- Head material:Carbon 45 forged steel
- Head surface:Polished/matt finish
- Working face hardness:HRC50-56
- Handle:Hardwood/Beech/Ash/Hickory -Handle moisture content:< 12%
- Assembly mode:wedge/wedge+glue

American type claw hammer



TCL005

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
8oz	48	41X30X17	19	170
12oz	48	42X31X18	20	170

- Head material:Carbon 45 forged steel
- Head surface:Polished/matt finish
- Working face hardness:HRC50-56
- Handle:Fiberglass handle
- Assembly mode:epoxide-resin glue

American type claw hammer



TCL006

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
16oz	36	39X29X30	26	330
20oz	36	39X29X33	27	330
24oz	24	46X35X27	24	400

- Head material:Carbon 45 forged steel
- Head surface:Polished/matt finish
- Working face hardness:HRC50-56
- Handle:Hardwood/Beech/Ash/Hickory -Handle moisture content:< 12%
- Assembly mode:wedge/wedge+glue

American type claw hammer



TCL007



TCL008



TCL009



TCL010



TCL011



TCL012



TCL013



TCL014



TCL015



TCL016



TCL017



TCL018



TCL019



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
8oz	48	51X35X18	20	285
12oz	36	44X36X19	21	315
16oz	36	46X38X21	26	330
20oz	24	40X31X23	21	330
24oz	24	46X35X27	23	400

- Head material:Carbon 45 forged steel
- Head surface:Polished/matt finish
- Working face hardness:HRC50-56
- Handle:Fiberglass handle
- Assembly mode:epoxide-resin glue

American type claw hammer



TCL020



TCL021



TCL022



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
16oz	36	46X38X21	26	315
20oz	24	40X31X23	21	330

- Head material:Carbon 45 forged steel
- Head surface:Polished
- Working face hardness:HRC50-56
- Handle:One piece forged +dual color TPR grip



One piece forged claw hammer



TCL023



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
16oz	36	39X29X30	26	330
20oz	36	39X29X33	27	330

- Head material:Carbon 45 forged steel
- Head surface:Polished
- Working face hardness:HRC50-56
- Handle:One piece forged +dual color TPR grip

American type claw hammer



TCL024



TCL025



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
8oz	48	51X35X18	20	285
12oz	36	44X36X19	21	315
16oz	36	46X38X21	26	330
20oz	24	40X31X23	21	330
24oz	24	46X35X27	23	400

- Head material:Carbon 45 forged steel
- Head surface:Polished/matt finish
- Working face hardness:HRC50-56
- Handle:steel tubular+rubber/Dual color TPR grip
- Assembly mode:Pin+glue

Sledge hammer



TSL001



TSL002



TSL003



TSL004

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
2 LB	24	36X33X18	30.5	360
3 LB	12	46X27X15	21.5	380
4 LB	12	46X29X16	25	400
6 LB	6	87X17X19	25	800
8 LB	6	87X19X20	30	800
10 LB	4	99X19.5X15	24	900
12 LB	4	100X21X15	28	900
14 LB	4	100X22X16	32	900
16 LB	2	100X23X9	18	900
18 LB	2	101X24X10	20	900
20 LB	2	102X25X10	22	900

- Head material:Carbon 45 forged steel
- Head surface:  
matt finish/polished/spray plastic/sand blastered
- Working face hardness:HRC50-56
- Handle:Fiberglass handle
- Assembly mode:epoxide-resin glue

Sledge hammer



TSL005



TSL006

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
2 LB	24	48x38x13	30	360
3 LB	12	43x27x15	20	380
4 LB	12	47x29x16	22	400
6 LB	6	78X17X18	23	750
8 LB	6	85X18X20	30	750
10 LB	4	85X19X14	24	750
12 LB	4	99X20X15	28	900
14 LB	4	99X21X16	31	900
16 LB	2	100X23X9	18	900
18 LB	2	100x24x10	20	900
20 LB	2	100X24X10	22	900

Two way mallet



TRM001

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
25 mm	60	30X26X37	25
30 mm	48	31X29X34	25
35 mm	36	32X31X25	20
40 mm	24	39X22X28	20
45 mm	24	40X24X31	24

- Head material:Rubber ,casted steel
- Head color:black/yellow
- Handle: Hard wood/Beech /Oak/Ash
- Assembly mode:epoxide-resin glue

Ballpein hammer



TBP001



TBP002

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
4oz	72	32X32X22	13	250
8oz	72	37X35X27	23	270
12oz	60	54X38X21	27	290
16oz	48	45X40X22	26	300
24oz	36	43X40X24	30	330
32oz	24	45X28X27	28	350
40oz	24	49X31X28	33	375
48oz	24	49X32X30	38	375

- Head material:Carbon 45 forged steel
- Head surface:Polished/matt finish
- Working face hardness:HRC48-56
- Handle:Hardwood/Beech/Ash/Hickory
- Handle moisture content:< 12%
- Assembly mode:wedge/wedge+glue

Ballpein hammer



TBP003



TBP004

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
4oz	72	31X31X22	24	250
8oz	72	37X33X26	31	270
12oz	48	44X35X20	32	290
16oz	48	45X37X21	35	300
24oz	24	42X27X24	21	330
32oz	24	44X28X27	29	350
40oz	12	47X31X14	34	375
48oz	12	46X32X15	39	375

- Head material:Carbon 45 forged steel
- Head surface:Polished/matt finish
- Working face hardness:HRC48-56
- Handle:Fiberglass handle
- Assembly mode:epoxide-resin glue

Explore hammer one piece forged

Camping hammer



TCH001

- Total weight:480G
- Head Length:11.5CM
- Total length:26.8CM
- Head material:Carbon 45 forged steel
- Head surface:Polished/matt finish
- Working face hardness:HRC48-56



TEH001

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	40X38X23	24	330

- Head material:Carbon 45 forged steel
- Head surface:Polished
- Working face hardness:HRC50-56
- Handle:One piece forged

Rubber hammer



TRB001



TRB002



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
8oz	48	35X34X36	16
12oz	36	41X33X31	20
16oz	36	42X39X33	24
24oz	36	63X34X41	34
32oz	24	66X29X30	25

- Head material:Rubber ,lead tolerance<50ppm
- Head color:Black/white/black+white
- Head hardness:Shore A 80
- Handle: Hard wood/Beech /Oak/Ash
- Assembly mode:epoxide-resin glue +nail

Rubber hammer



TRB003

Spec.	Length (mm)	Head Diameter (mm)	Weight (g)
1/2LB	220	32	390
1LB	237	43	620
2LB	285	49	1050
3LB	305	57	1500

- Handle: PVC ,TPR
- Assembly mode:one piece

Rubber hammer



TRB004



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
8oz	48	35X34X36	18
12oz	36	41X33X31	21
16oz	36	42X39X33	23
24oz	36	63X34X41	25
32oz	24	66X29X30	31

- Head material:Rubber ,lead tolerance<50ppm
- Head color:Black/white/black+white
- Head hardness:Shore A 80
- Handle:Fiberglass handle
- Assembly mode:epoxide-resin glue +nail

Rubber hammer



TRB005



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
8oz	48	35X34X36	16
12oz	36	41X33X31	20
16oz	36	42X39X33	24
24oz	36	63X34X41	34
32oz	24	66X29X30	25

- Head material:Rubber ,lead tolerance<50ppm
- Head color:Black/white/black+white
- Head hardness:Shore A 80
- Handle: Steel tubular+rubber grip
- Assembly mode:epoxide-resin glue

A613 axe



TAX001



TAX002



TAX003



TAX004



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	41X27X23	20	360
800g	24	45X28X24	23	380
1000g	24	46X36X21	30	430
1250g	12	74X22X23	20	700
1600g	6	93x22x12.5	14.5	900

- Head material:Forged carbon steel
- Head surface:matt finish/polished
- Blade hardness:HRC46-52
- Handle:Hardwood/Beech/Ash/Hickory
- Handle moisture content:< 12%
- Assembly mode:wedge/wedge+glue

A613 axe



TAX005



TAX006



TAX007



TAX008



TAX009



Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	41X27X23	24	360
800g	24	45X28X24	28	380
1000g	24	49X28X25	33	430
1250g	12	74X22X23	23	700
1600g	6	93x22x12.5	15	900

- Head material:Forged carbon steel
- Head surface:matt finish/polished
- Working face hardness:HRC46-52
- Handle:Fiberglass handle
- Assembly mode:epoxide-resin glue

Russian type axe



TAX010

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	41X27X23	20	360
800g	24	45X28X24	23	380
1000g	24	46X36X21	30	430
1200g	12	74X22X23	20	700
1400g	6	93x22x12.5	13	900

- Head material:Forged carbon steel
- Head surface:matt finish/polished
- Blade hardness:HRC46-52
- Handle:Hardwood/Beech/Ash/Hickory
- Handle moisture content:< 12%
- Assembly mode:wedge/wedge+glue

Double face axe



TAX013



TAX014

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
1000g	12	47x35x15	19	430
2000g	6	96x22x19	17	900

- Head material:Forged carbon steel
- Head surface:matt finish/polished
- Blade hardness:HRC46-52
- Handle:Hardwood/Beech/Ash/Hickory
- Handle moisture content:< 12%
- Assembly mode:wedge/wedge+glue

Double face axe



TAX011



TAX012

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
1000g	12	47x35x15	25	430
2000g	6	96x22x19	20	900

- Head material:Forged carbon steel
- Head surface:matt finish/polished
- Blade hardness:HRC46-52
- Handle:Fiberglass handle
- Handle moisture content:< 12%
- Assembly mode:epoxide-resin glue

One piece forged axe



TAX015



TAX015A

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
500g	24	41x37x15	22	330

- Head material:Forged carbon steel
- Head surface:Polished
- Working face hardness:HRC50-56
- Handle:One piece forged +dual color grip



O u t d o o r  
A x e



TAX016



TAX017



TAX018

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
630g	24	350X27X23	21	330
630g	24	45X28X24	23	360

- Head material:Forged manganese steel
- Head surface:matt finish/polished
- Blade hardness:HRC46-52
- Handle:Hardwood/Beech/Ash/Hickory
- Handle moisture content:< 12%
- Assembly mode:wedge/wedge+glue

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
710g	24	40X27X23	24	370
710g	24	53X28X24	25	470

- Head material:Forged manganese steel-Head surface:matt finish/polished
- Blade hardness:HRC46-52
- Handle:Hardwood/Beech/Ash/Hickory
- Handle moisture content:< 12%
- Assembly mode:wedge/wedge+glue

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
600g	24	41X27X23	20	280
650g	24	45X28X24	22	360
700g	24	52X36X21	24	500
1150g	12	74X22X23	20	900

- Head material:Forged manganese steel
- Head surface:matt finish/polished
- Blade hardness:HRC46-52
- Handle:Hardwood/Beech/Ash/Hickory
- Handle moisture content:< 12%
- Assembly mode:wedge/wedge+glue

Splitting maul SM01



TSL001

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
6 LB	6	106X21X16	25	360

- Head material:Forged carbon steel
- Head surface:matt finish/polished
- Blade hardness:HRC46-52
- Handle:Hardwood/Beech/Ash/Hickory
- Handle moisture content:< 12%
- Assembly mode:wedge/wedge+glue

Splitting maul SM02



TSL004

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
6LB	6	93X21X15	22	900
8LB	6	93X22X17	28	900

- Head material:Forged carbon steel
- Head surface:matt finish/polished
- Blade hardness:HRC46-52
- Handle:Hardwood/Beech/Ash/Hickory
- Handle moisture content:< 12%
- Assembly mode:conversed handle

Splitting maul SM01



TSL002

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
6 LB	6	106X21X16	25	360

- Head material:Forged carbon steel
- Head surface:matt finish
- Working face hardness:HRC46-52
- Handle:Fiberglass handle-
- Assembly mode:epoxide-resin glue

Splitting maul SM02




TSL005

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)	L (mm)
6LB	6	93X21X15	22	900
8LB	6	93X22X17	28	900

- Head material:Forged carbon steel
- Head surface:matt finish/polished
- Blade hardness:HRC46-52
- Handle:Hardwood/Beech/Ash/Hickory
- Handle moisture content:< 12%
- Assembly mode:wedge/wedge+glue

Splitting wedge



TSL003

Spec.:1500g,2000g,2500g,3000g



P401 Pick axe



TPA001

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
4.5LB	6	58X15X12	12.5
5LB	6	60X15X12	14
5.5LB	6	62X15X12	15.5
6LB	6	65X15X12	16.5
7LB	6	65X15X12	19.5

P402 Pick axe



TPA002

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
4.5LB	6	58X15X12	12.5
5LB	6	60X15X12	14
5.5LB	6	62X15X12	15.5
6LB	6	65X15X12	16.5
7LB	6	65X15X12	19.5

P406 Pick axe



TPA003

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
4.5LB	6	56X16X14.5	12.5
5LB	6	58X16X14.5	14
5.5LB	6	60X16X14.5	15.5

Pick axe with wooden handle



TPA004

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
1KG	6	92X22.5X13	10
1.5KG	6	92X22.5X13	13
2KG	6	92X23X14	16

Pick axe with fiberglass handle



TPA005

Spec.	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
1KG	6	92X22.5X13	13.5
1.5KG	6	92X22.5X13	16
2KG	6	92X23X14	19



Cold chisel



Spec. (mm)	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
250X16	36	30X20X13	18
300X16	36	30X20X13	19

- Material:High carbon steel
- Grip:Rubber /Dual color TPR
- Pointed edge/Flat edge
- Hardness:HRC45-52


Flat style bolter



Spec. (mm)
250
300

- Material:High carbon steel
- Grip:Rubber /Dual color TPR
- Flat edge
- Hardness:HRCarbon 45-52

Flat cold chisel



Spec. (mm)	Shank size(mm)
200	25x12
250	25x12
300	25x12

- Material:High carbon steel
- Grip:Rubber /Dual color TPR
- Flat edge
- Hardness:HRC 45-52

Crow bar



Spec. (LB)	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
6	5	93X9X5	14
8	5	113X9X7	18
10	5	124X10X7	23
12	3	130X6X6	16.5
14	3	140X6X6	19.5
16	3	150X7X6	21.5
18	3	153X8X7	25
22	2	167X7X5	20
26	2	174X7X5	23.5

- Material:High carbon steel
- Color painted
- Edge hardness:HRC42-48

W01 wrecking bar



TWB001

Spec. (mm)	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
300	24	36X14X10	10.6
400	24	46X14X10	19.5
500	12	55X15X6	11.9
600	12	66X16X7	18
700	12	76X16X7	19.8
800	12	86X16X7	22.8
900	12	96X16X7	25.6
1000	12	106X16X7	27.4

- Material:High carbon steel
- Color painted
- Edge hardness:HRC42-50

W02 wrecking bar



TWB002

Spec. (mm)	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
300	10	41X13X6	4.5
450	10	58X16X7	10
600	10	77X18X7	15
750	10	93X18X7	18.5
900	10	106X18X7	21.5
1050	5	122X15X6	13
1200	5	137X15X6	14.5

- Material:High carbon steel
- Color painted
- Edge hardness:HRC42-50

Wrecking bar



TWB003

Spec. (mm)	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
300	24	30X20X13	19.5

- Material:High carbon steel
- Grip:Rubber/Dual color TPR
- Color painted
- Edge hardness:HRC42-50

W21 wrecking bar



TWB004

Spec. (mm)	Qty/ctn (pcs)	Carton size (cm)	G.w. (kg)
30	12	37x17x7	8
40	12	45x17x7	9
45	12	52x17x7	14
60	12	68x21x8	21
75	6	80x23x4	16
90	6	95x23x4	19

- Material:High carbon steel
- Color painted
- Edge hardness:HRC42-50





WECHAT

**LINYI TASIKE HARDWARE & TOOLS CO., LTD.**

North of 327 country road, Linshu, Shandong, China.

Email: [Teresa@tommer.com](mailto:Teresa@tommer.com) [Sales@tommer.cn](mailto:Sales@tommer.cn)

TEL: 0086-13563944278 0086-13287151237

Web: [www.tommer.com](http://www.tommer.com)